IEE Proceedings

Generation, Transmission and Distribution

The Institution of Electrical Engineers, Savoy Place, London WC2R 0BL, United Kingdom
Publishing Department: Michael Faraday House, Six Hills Way, Stevenage, Herts. SG1 2AY, United Kingdom

Volume 141 1994 UK ISSN 1350–2360

HONORARY EDITORS

Prof. E.J. Handschin (*University of Dortmund*)
Prof. J.R. Smith (*University of Strathclyde*)

Pages in issues of *IEE Proc.-Gener. Transm. Distrib.*, 1994

Pages	Issue No.	Date
1–80	1	January
81–160	2	March
161–256	3	May
257–400	4	July
401–544	5	September
545–664	6	November

This publication is copyright under the Berne Convention and the Universal Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright, Designs and Patents Act 1988, Part 1, Section 38, whereby a single copy of this article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by The Copyright (Librarians and Archivists) (Copying of Copyright Material) Regulations 1989: SI 1989/1212, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

Authorisation to photocopy items for internal or personal use, or for the internal or personal use of specific clients, is granted by the Institution of Electrical Engineers for libraries and other users registered with the Copyright Clearance Center Transactional Reporting Service, provided that the base fee of $7.50 per copy is paid directly to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA. 0143–7046/94 $7.50 + 0.00. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.

Photocopies of individual papers published in the *IEE Proceedings* can be supplied from the IEE Library at 10p per page plus a handling charge, which covers the cost of surface mail (airmail extra). The handling charge is waived if reprints are collected from Savoy Place by purchasers.

The telephone number of the IEE London office is 071 240 1871; telex: 261176 IEELDN G; facsimile: 071 240 77 35.

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.

© 1994: The Institution of Electrical Engineers

Secretary of the IEE: J.C. Williams, PhD, CEng, FIEE
Managing Editor: Gill Wheeler; *Executive Editor:* Kerry Blewett
Graphics Manager: Maurice Partridge

Typeset by: Santype International Limited, Salisbury, Wiltshire, United Kingdom
Printed by: Black Bear Press Limited, Cambridge, United Kingdom

IEE Proceedings

Generation, Transmission and Distribution

The Institution of Electrical Engineers, Savoy Place, London WC2R 0BL, United Kingdom
Publishing Department: Michael Faraday House, Six Hills Way, Stevenage, Herts. SG1 2AY, United Kingdom

Volume 141 1994 UK ISSN 1350–2360

HONORARY EDITORS

Prof. E.J. Handschin (*University of Dortmund*)
Prof. J.R. Smith (*University of Strathclyde*)

Pages in issues of *IEE Proc.-Gener. Transm. Distrib.*, 1994

Pages	Issue No.	Date
1–80	1	January
81–160	2	March
161–256	3	May
257–400	4	July
401–544	5	September
545–664	6	November

This publication is copyright under the Berne Convention and the Universal Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright, Designs and Patents Act 1988, Part 1, Section 38, whereby a single copy of this article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by The Copyright (Librarians and Archivists) (Copying of Copyright Material) Regulations 1989: SI 1989/1212, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

Authorisation to photocopy items for internal or personal use, or for the internal or personal use of specific clients, is granted by the Institution of Electrical Engineers for libraries and other users registered with the Copyright Clearance Center Transactional Reporting Service, provided that the base fee of $7.50 per copy is paid directly to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA. 0143–7046/94 $7.50 + 0.00. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale.

Photocopies of individual papers published in the *IEE Proceedings* can be supplied from the IEE Library at 10p per page plus a handling charge, which covers the cost of surface mail (airmail extra). The handling charge is waived if reprints are collected from Savoy Place by purchasers.

The telephone number of the IEE London office is 071 240 1871; telex: 261176 IEELDN G; facsimile: 071 240 77 35.

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.

© 1994: The Institution of Electrical Engineers

Secretary of the IEE: J.C. Williams, PhD, CEng, FIEE
Managing Editor: Gill Wheeler; *Executive Editor:* Kerry Blewett
Graphics Manager: Maurice Partridge

Typeset by: Santype International Limited, Salisbury, Wiltshire, United Kingdom
Printed by: Black Bear Press Limited, Cambridge, United Kingdom

Index

IEE Proceedings
Generation, Transmission and Distribution
Vol. 141, 1994

Author index

A

Aggarwal, R.K., Johns, A.T., Song, Y.H., Dunn, R.W., and Fitton, D.S. Neural-network based adaptive single-pole autoreclosure technique for EHV transmission systems p155
Aggarwal, R.K., Johns, A.T., and Bo, Z.Q. see Johns, A.T.
Aggarwal, R.K., Johns, A.T., and Bo, Z.Q. Non-unit protection technique for EHV transmission systems based on fault-generated noise. Part 2: Signal Processing p141
Aggarwal, R.K., Johns, A.T., and Song, Y.H. see Johns, A.T.
Aggarwal, R.K., Moore, P.J., Jiang, H., and Johns, A.T. see Moore, P.J.
Allan, R.N., and Bhuiyan, M.R. see Bhuiyan, M.R.
Allan, R.N., and Navarro Sanchez, H. Uncertainty considerations in the pool purchase price in the England and Wales electricity supply industry p125
Allan, R.N., and Ubeda, J.R. see Ubeda, J.R.
Almeida, M.E., and Correia de Barros, M.T. Tower modelling for lightning surge analysis using EMTP p637
Ametani, A., Kasai, Y., Sawada, J., Mochizuki, A., and Yamada, T. Frequency-dependent impedance of vertical conductors and a multiconductor tower model p339
Arrillaga, J., and Medina, A. see Medina, A.

B

Bakirtzis, A., Petridis, V., and Kazarlis, S. Genetic algorithm solution to the economic dispatch problem p377
Barros, J., and Drake, J.M. Real-time fault detection and classification in power systems using microprocessors p315
Berry, T., Daniels, A.R., and Dunn, R.W. Parallel processing of sparse power system equations p68
Bhanot, V., Gupta, H., and Sharma, J. Efficient method for alleviating voltage limit violations using local optimisation p279
Bhuiyan, M.R., and Allan, R.N. Inclusion of weather effects in composite system reliability evaluation using sequential simulation p575
Bialek, J., and Grey, D.J. Application of clustering and factorisation tree techniques for parallel solution of sparse network equations p609
Billinton, R., Chan, E., and Wacker, G. Probability distribution approach to describe customer costs due to electric supply interruptions p594
Billinton, R., and Goel, L. see Goel, L.
Billinton, R., and Lian, G. Consideration of dependent outages in security-constrained adequacy evaluation of composite systems p47
Billinton, R., and Satish, J. Predictive assessment of bulk-system-reliability performance indices p466
Biswas, J.R., and Roy, C.K. see Roy, C.K.
Bo, Z.Q., Aggarwal, R.K., and Johns, A.T. see Aggarwal, R.K.
Bo, Z.Q., Johns, A.T., and Aggarwal, R.K. see Johns, A.T.
Bond, J., Jiang, H., Dorsey, J.F., Qu, Z., and McCalley, J.M. see Jiang, H.
Brunet, Y., Tixador, P., Lévêque, J., and Pham, V.D. see Tixador, P.

C

Ćalović, M.S., Popović, D.S., and Levi, V.A. see Popović, D.S.
Caramia, P., Carpinelli, G., Rossi, F., and Verde, P. Probabilistic iterative harmonic analysis of power systems p329
Carneiro, Jr, S., Mariños, Z.A., and Pereira, J.L.R. see Mariños, Z.A.
Carpinelli, G., Caramia, P., Rossi, F., and Verde, P. see Caramia, P.
Carpinelli, G., Gagliardi, F., Russo, M., and Villacci, D. Generalised convertor models for iterative harmonic analysis in power systems p445
Carranza, R.D., Moore, P.J., and Johns, A.T. see Moore, P.J.
Chan, E., Billinton, R., and Wacker, G. see Billinton, R.
Chang, B.S., Lu, C.N., and Teng, J.H. see Lu, C.N.
Chang, C.S. Model-based fuzzy control of power system static/dynamic security using the pattern recognition approach p270
Chang, C.S., Srinivasan, D., Liew, A.C., and Chen, J.S.P. see Srinivasan, D.
Chang, C.S., Srinivasan, D., and Liew, A.C. see Srinivasan, D.
Chang, Y.-C., Yang, W.-T., and Liu, C.-C. Improvement on GGDF for power system security evaluation p85
Chedid, R., and Freris, L.L. Magnetic field analysis of asymmetrical machines by finite element method p53
Chen, C.-R., Hsu, Y.-Y., and Su, C.-C. see Hsu, Y.-Y.
Chen, H., and Zhang, X.-P. see Zhang, X.-P.
Chen, J.S.P., Srinivasan, D., Liew, A.C., and Chang, C.S. see Srinivasan, D.
Chen, N., and Lee, T.-Y. see Lee, T.-Y.
Chen, T.-H. Complex short circuit *MVA* method for power system studies p81
Chen, Y.-L., and Liu, C.-C. Interactive fuzzy satisfying method for optimal multi-objective VAR planning in power systems p554
Chen, Y.-L., and Liu, C.-C. Multiobjective VAR planning using the goal-attainment method p227
Chiodo, E., Gagliardi, F., and Lauria, D. Probabilistic approach to transient stability evaluation p537
Chiodo, E., and Lauria, D. Transient stability evaluation of multimachine power systems: a probabilistic approach based upon the extended equal area criterion p545
Correia de Barros, M.T., and Almeida, M.E. see Almeida, M.E.

D

Daniels, A.R., Berry, T., and Dunn, R.W. see Berry, T.
Das, D., Nagi, H.S., and Kothari, D.P. Novel method for solving radial distribution networks p291
Dasgupta, D., and McGregor, D.R. Thermal unit commitment using genetic algorithms p459
Dash, P.K., Liew, A.C., and Routray, A. High-performance controllers for HVDC transmission links p422
David, A.K. Modelling risk in energy contracts with investor owned generation p75
David, A.K., and To, K.W.V. see To, K.W.V.
De León, F., and Semlyen, A. see Semlyen, A.
Dickinson, E.J., Kamwa, I., Viarouge, P., and Le-Huy, H. see Kamwa, I.
Dolinar, D., and Grčar, B. see Grčar, B.
Dorsey, J.F., Jiang, H., Qu, Z., Bond, J., and McCalley, J.M. see Jiang, H.
Drake, J.M., and Barros, J. see Barros, J.
Dring, D., Heylen, A.E.D., McMahon, S.P., and McLean, I.R. see Heylen, A.E.D.
Dunn, R.W., Aggarwal, R.K., Johns, A.T., Song, Y.H., and Fitton, D.S. see Aggarwal, R.K.
Dunn, R.W., Berry, T., and Daniels, A.R. see Berry, T.

E

Elrefaie, H.B., Irving, M.R., and Zitouni, S. A parallel processing algorithm for co-ordination of directional overcurrent relays in interconnected power systems p514
Escudero, J.I., Luque, J., and Gómez, I. see Luque, J.

F

Fielding, G., Redfern, M.A., Usta, Ö., and Walker, E.P. see Redfern, M.A.
Fitton, D.S., Aggarwal, R.K., Johns, A.T., Song, Y.H., and Dunn, R.W. see Aggarwal, R.K.
Fockens, S., Sleijpen, G.L.G., van Wijk, A.J.M., and Singh, C. Numerical methods for stable implementation of generating-unit deconvolution p219
Fox, B., and Thompson, J.G. see Thompson, J.G.
Freris, L.L., and Chedid, R. see Chedid, R.

G

Gagliardi, F., Carpinelli, G., Russo, M., and Villacci, D. see Carpinelli, G.
Gagliardi, F., Chiodo, E., and Lauria, D. see Chiodo, E.
Gau, C.-H., and Hong, Y.-Y. see Hong, Y.-Y.
Gómez, I., Luque, J., and Escudero, J.I. see Luque, J.
Goel, L., and Billinton, R. Prediction of customer load point service reliability worth estimates in an electric power system p390
Grčar, B., and Dolinar, D. Integrated digital power transformer protection p323
Grey, D.J., and Bialek, J. see Bialek, J.
Gupta, H., Bhanot, V., and Sharma, J. see Bhanot, V.

H

Habiballah, I.O., and Quintana, V.H. Integer-linear-programming eigenvector-based approach for multipartitioning power system state-estimation networks p11
Halliday, J.A., Watson, S.J., and Landberg, L. see Watson, S.J.
Haque, M.H. Equal-area criterion: an extension for multimachine power systems p191
Hari, L., Nanda, J., and Kothari, M.L. see Nanda, J.
Hernandez, J.P., Massaud, A.G., and Schilling, M.Th. see Massaud, A.G.
Heylen, A.E.D., McMahon, S.P., McLean, I.R., and Dring, D. High-voltage insulation co-ordination: timelags of parallel-plate, rod–plane, rod–rod gaps, cap and pin insulators and surge diverter p397
Hiley, J., and Lui, C.Y. see Lui, C.Y.
Hong, Y.-Y., and Gau, C.-H. Voltage stability indicator for identification of the weakest bus/area in power systems p305
Hsu, Y.-Y., Chen, C.-R., and Su, C.-C. Analysis of electromechanical modes using an artificial neural network p198
Hsu, Y.-Y., and Liang, R.-H. see Liang, R.-H.
Huang, G., and Ongsakul, W. Speedup and synchronisation overhead analysis of Gauss–Seidel type algorithms on a Sequent balance machine p437
Hughes, F.M., and Saidy, M. see Saidy, M.

I

Iravani, M.R., and Zhao, Z. see Zhao, Z.
Irving, M.R., Elrefaie, H.B., and Zitouni, S. see Elrefaie, H.B.
Irving, M.R., and Zhang, S. see Zhang, S.

J

Jiang, H., Dorsey, J.F., Qu, Z., Bond, J., and McCalley, J.M. Global robust adaptive control of power systems p429
Jiang, H., Moore, P.J., Aggarwal, R.K., and Johns, A.T. see Moore, P.J.
Johns, A.T., Aggarwal, R.K., Song, Y.H., Dunn, R.W., and Fitton, D.S. see Aggarwal, R.K.
Johns, A.T., Aggarwal, R.K., and Bo, Z.Q. see Aggarwal, R.K.

Johns, A.T., Aggarwal, R.K., and Bo, Z.Q. Non-unit protection technique for EHV transmission systems based on fault-generated noise. Part 1: Signal measurement p133
Johns, A.T., Aggarwal, R.K., and Song, Y.H. Improved techniques for modelling fault arcs on faulted EHV transmission systems p148
Johns, A.T., Moore, P.J., Aggarwal, R.K., and Jiang, H. see Moore, P.J.
Johns, A.T., Moore, P.J., and Carranza, R.D. see Moore, P.J.

K

Kabir, S.M.L., and Shuttleworth, R. Brushless exciter model p61
Kacprzak, B., Wolny, A., and Stokes, A.D. see Wolny, A.
Kamwa, I., Viarouge, P., Le-Huy, H., and Dickinson, E.J. Three-transfer-function approach for building phenomenological models of synchronous machines p89
Karas, A.N., Vaahedi, E., Poirier, R.J., and Necsulescu, C. see Vaahedi, E.
Kasai, Y., Ametani, A., Sawada, J., Mochizuki, A., and Yamada, T. see Ametani, A.
Kazarlis, S., Bakirtzis, A., and Petridis, V. see Bakirtzis, A.
Kothari, D.P., Das, D., and Nagi, H.S. see Das, D.
Kothari, M.L., Nanda, J., and Hari, L. see Nanda, J.

L

Landberg, L., Watson, S.J., and Halliday, J.A. see Watson, S.J.
Lauria, D., Chiodo, E., and Gagliardi, F. see Chiodo, E.
Lauria, D., and Chiodo, E. see Chiodo, E.
Le-Huy, H., Kamwa, I., Viarouge, P., and Dickinson, E.J. see Kamwa, I.
Lévêque, J., Tixador, P., Brunet, Y., and Pham, V.D. see Tixador, P.
Lee, T.-Y., and Chen, N. Effect of the battery energy storage system on the time-of-use rates industrial customers p521
Levi, V.A., Popović, D.S., and Ćalović, M.S. see Popović, D.S.
Li, K.K., and Xia, Y.Q. see Xia, Y.Q.
Lian, G., and Billinton, R. see Billinton, R.
Liang, R.-H., and Hsu, Y.-Y. Fuzzy linear programming: an application to hydroelectric generation scheduling p568
Liang, R.-H., and Hsu, Y.-Y. Scheduling of hydroelectric generations using artificial neural networks p452
Liew, A.C., Dash, P.K., and Routray, A. see Dash, P.K.
Liew, A.C., Srinivasan, D., Chang, C.S., and Chen, J.S.P. see Srinivasan, D.
Liew, A.C., Srinivasan, D., and Chang, C.S. see Srinivasan, D.
Liu, C.-C., Chang, Y.-C., and Yang, W.-T. see Chang, Y.-C.
Liu, C.-C., and Chen, Y.-L. see Chen, Y.-L.
Lu, C.N., Teng, J.H., and Chang, B.S. Power system network topology error detection p623
Lui, C.Y., and Hiley, J. Computational study of very fast transients in GIS with special reference to effects of trapped charge and risetime on overvoltage amplitude p485
Luque, J., Escudero, J.I., and Gómez, I. Differential transmission of evolution measures in SCADA systems p253

M

Mariños, Z.A., Pereira, J.L.R., and Carneiro, Jr, S. Fast harmonic power flow calculation using parallel processing p27
Massaud, A.G., Schilling, M.Th., and Hernandez, J.P. Electricity restriction costs p299
McCalley, J.M., Jiang, H., Dorsey, J.F., Qu, Z., and Bond, J. see Jiang, H.
McGregor, D.R., and Dasgupta, D. see Dasgupta, D.
McLean, I.R., Heylen, A.E.D., McMahon, S.P., and Dring, D. see Heylen, A.E.D.
McMahon, S.P., Heylen, A.E.D., McLean, I.R., and Dring, D. see Heylen, A.E.D.
Medina, A., and Arrillaga, J. Analysis of transformer–generator interaction in the harmonic domain p38
Michalik, M., and Rosołowski, E. see Rosołowski, E.
Mochizuki, A., Ametani, A., Kasai, Y., Sawada, J., and Yamada, T. see Ametani, A.
Moore, P.J., Aggarwal, R.K., Jiang, H., and Johns, A.T. New approach to distance protection for resistive double-phase to earth faults using adaptive techniques p369
Moore, P.J., Carranza, R.D., and Johns, A.T. A new numeric technique for high-speed evaluation of power system frequency p529
Morgan, V.T. Effect of surface-temperature rise on external thermal resistance of single-core and multi-core bundled cables in still air p215
Mudrončik, D., and Veselý, V. Power system stabilisation using the dominant subsystem principle p243

N

Nagi, H.S., Das, D., and Kothari, D.P. see Das, D.
Nanda, J., Hari, L., and Kothari, M.L. Economic emission load dispatch with line flow constraints using a classical technique p1
Navarro Sanchez, H., and Allan, R.N. see Allan, R.N.
Necsulescu, C., Vaahedi, E., Poirier, R.J., and Karas, A.N. see Vaahedi, E.

O

Ongsakul, W., and Huang, G. see Huang, G.
Osowski, S. SVD technique for estimation of harmonic components in a power system: a statistical approach p473

P

Pahalawaththa, N.C., and Samarasinghe, V.G.D.C. see Samarasinghe, V.G.D.C.
Papazoglou, T.M. Maximum efficiency of interconnected transmission lines p353
Pereira, J.L.R., Mariños, Z.A., and Carneiro, Jr, S. see Mariños, Z.A.
Petridis, V., Bakirtzis, A., and Kazarlis, S. see Bakirtzis, A.
Pham, V.D., Tixador, P., Lévêque, J., and Brunet, Y. see Tixador, P.
Pinto de Sá, J.L. Stochastic analysis in the time domain of very high speed digital distance relays. Part 1: Theory p161
Pinto de Sá, J.L. Stochastic analysis in the time domain of very high speed digital distance relays. Part 2: Illustrations p169
Poirier, R.J., Vaahedi, E., Necsulescu, C., and Karas, A.N. see Vaahedi, E.
Popović, D.S., Ćalović, M.S., and Levi, V.A. Voltage reactive security analysis in power systems with automatic secondary voltage control p177

Q

Qu, Z., Jiang, H., Dorsey, J.F., Bond, J., and McCalley, J.M. see Jiang, H.
Quintana, V.H., and Habiballah, I.O. see Habiballah, I.O.
Quintana, V.H., and Vargas, L. Voltage stability as affected by discrete changes in the topology of power networks p346
Quintana, V.H., and Zambroni de Souza, A.C. see Zambroni de Souza, A.C.

R

Ran, L., and Smith, K.S. see Smith, K.S.
Redfern, M.A., Usta, Ö., Fielding, G., and Walker, E.P. Power based algorithm to provide loss of grid protection for embedded generation p640
Rosołowski, E., and Michalik, M. Fast identification of symmetrical components by use of a state observer p617
Rossi, F., Caramia, P., Carpinelli, G., and Verde, P. see Caramia, P.
Routray, A., Dash, P.K., and Liew, A.C. see Dash, P.K.
Roy, C.K., and Biswas, J.R. Studies on impulse behaviour of a transformer winding with simulated faults by analogue modelling p401
Rubaai, A., and Udo, V. Self-tuning load frequency control: Multilevel adaptive approach p285
Russo, M., Carpinelli, G., Gagliardi, F., and Villacci, D. see Carpinelli, G.

S

Saidy, M., and Hughes, F.M. Block diagram transfer function model of a generator including damper windings p599
Samarasinghe, V.G.D.C., and Pahalawaththa, N.C. Design of universal variable-structure controller for dynamic stabilisation of power systems p363
Satish, J., and Billinton, R. see Billinton, R.
Savić, M., and Stojković, Z. High voltage substation equivalent circuits in the lightning performance estimation p99
Sawada, J., Ametani, A., Kasai, Y., Mochizuki, A., and Yamada, T. see Ametani, A.
Schilling, M.Th., Massaud, A.G., and Hernandez, J.P. see Massaud, A.G.
Semlyen, A., and De León, F. Eddy current add-on for frequency dependent representation of winding losses in transformer models used in computing electromagnetic transients p209
Sharma, J., Bhanot, V., and Gupta, H. see Bhanot, V.
Shuttleworth, R., and Kabir, S.M.L. see Kabir, S.M.L.
Singh, C., Fockens, S., Sleijpen, G.L.G., and van Wijk, A.J.M. see Fockens, S.
Sleijpen, G.L.G., Fockens, S., van Wijk, A.J.M., and Singh, C. see Fockens, S.
Smith, K.S., and Ran, L. Voltage stability assessment of isolated power systems with power electronic converters p310
Song, Y.H., Aggarwal, R.K., Johns, A.T., Dunn, R.W., and Fitton, D.S. see Aggarwal, R.K.
Song, Y.H., Johns, A.T., and Aggarwal, R.K. see Johns, A.T.
Srinivasan, D., Chang, C.S., and Liew, A.C. Multiobjective generation scheduling using fuzzy optimal search technique p233
Srinivasan, D., Liew, A.C., Chang, C.S., and Chen, J.S.P. Intelligent operation of distribution network p106
Srinivasan, D., Liew, A.C., and Chang, C.S. Forecasting daily load curves using a hybrid fuzzy–neural approach p561
Stojković, Z., and Savić, M. see Savić, M.
Stokes, A.D. High-voltage expulsion fuses: energy dissipation and design goals p205
Stokes, A.D., Wolny, A., and Kacprzak, B. see Wolny, A.
Stokes, A.D., and Wolny, A. see Wolny, A.
Su, C.-C., Hsu, Y.-Y., and Chen, C.-R. see Hsu, Y.-Y.

T

Teng, J.H., Lu, C.N., and Chang, B.S. see Lu, C.N.
Thompson, J.G., and Fox, B. Adaptive load shedding for isolated power systems p491
Tixador, P., Lévêque, J., Brunet, Y., and Pham, V.D. Hybrid AC superconducting current limiter: small-scale experimental model p117
To, K.W.V., and David, A.K. Multivariable adaptive control of AC–DC systems p658

U

Ubeda, J.R., and Allan, R.N. Reliability assessment of composite hydrothermal generation and transmission systems using sequential simulation p257
Udo, V., and Rubaai, A. see Rubaai, A.
Usta, Ö., Redfern, M.A., Fielding, G., and Walker, E.P. see Redfern, M.A.

V

Vaahedi, E., Poirier, R.J., Necsulescu, C., and Karas, A.N. Benefits of wheeling economy energy in Canada: quantification and sensitivity analysis p585
Van wijk, A.J.M., Fockens, S., Sleijpen, G.L.G., and Singh, C. see Fockens, S.
Vargas, L., and Quintana, V.H. see Quintana, V.H.
Verde, P., Caramia, P., Carpinelli, G., and Rossi, F. see Caramia, P.
Veselý, V., and Mudrončik, D. see Mudrončik, D.
Viarouge, P., Kamwa, I., Le-Huy, H., and Dickinson, E.J. see Kamwa, I.
Villacci, D., Carpinelli, G., Gagliardi, F., and Russo, M. see Carpinelli, G.

W

Wacker, G., Billinton, R., and Chan, E. see Billinton, R.
Walker, E.P., Redfern, M.A., Usta, Ö., and Fielding, G. see Redfern, M.A.
Wang, Y., Zhou, R., and Wen, C. New robust adaptive load–frequency control with system parametric uncertainties p184
Watson, S.J., Landberg, L., and Halliday, J.A. Application of wind speed forecasting to the integration of wind energy into a large scale power system p357
Wen, C., Wang, Y., and Zhou, R. see Wang, Y.
Wolny, A., Stokes, A.D., and Kacprzak, B. High-voltage fuse behaviour with varistor commutation p33
Wolny, A., and Stokes, A.D. Electrical arc ignition in narrow slots: high-voltage generation p263
Wolny, A., and Stokes, A.D. Ignition of an electrical arc in a capillary: arc parameters in the initial period p480
Wong, C.C. Substation power-transformer-loading analysis and computer simulations of loadability under realistic operating conditions p413
Wong, K.P., and Wong, Y.W. Genetic and genetic/simulated-annealing approaches to economic dispatch p507
Wong, K.P., and Wong, Y.W. Short-term hydrothermal scheduling. Part I: simulated annealing approach p497
Wong, K.P., and Wong, Y.W. Short-term hydrothermal scheduling. Part II: Parallel simulated annealing approach p502
Wong, Y.W., and Wong, K.P. see Wong, K.P.

X

Xia, Y.Q., and Li, K.K. Development and implementation of a variable-window algorithm for high-speed and accurate digital distance protection p383

Y

Yamada, T., Ametani, A., Kasai, Y., Sawada, J., and Mochizuki, A. see Ametani, A.

Yang, W.-T., Chang, Y.-C., and Liu, C.-C. see Chang, Y.-C.

Z

Zambroni de Souza, A.C., and Quintana, V.H. New technique of network partitioning for voltage collapse margin calculations p630

Zhang, S., and Irving, M.R. Enhanced Newton–Raphson algorithm for normal, controlled and optimal powerflow solutions using column exchange techniques p647

Zhang, X.-P., and Chen, H. Asymmetrical three-phase load-flor study based on symmetrical component theory p248

Zhao, Z., and Iravani, M.R. Application of GTO voltage-source inverter for tapping HVDC power p19

Zhou, R., Wang, Y., and Wen, C. see Wang, Y.

Zitouni, S., Elrefaie, H.B., and Irving, M.R. see Elrefaie, H.B.

Subject index

ADAPTIVE CONTROL

Multivariable adaptive control of AC–DC systems. K.W.V. To and A.K. David p658
New robust adaptive load–frequency control with system parametric uncertainties. Y. Wang, R. Zhou and C. Wen p184
Power system stabilisation using the dominant subsystem principle. D. Mudrončík and V. Veselý p243

ARCING

Electrical arc ignition in narrow slots: high-voltage generation. A. Wolny and A.D. Stokes p263
Ignition of an electrical arc in a capillary: arc parameters in the initial period. A. Wolny and A.D. Stokes p480

CABLES AND OVERHEAD LINES

Effect of surface-temperature rise on external thermal resistance of single-core and multi-core bundled cables in still air. V.T. Morgan p215

CIRCUIT BREAKERS AND CIRCUIT BREAKING

Electrical arc ignition in narrow slots: high-voltage generation. A. Wolny and A.D. Stokes p263

CIRCUIT THEORY AND DESIGN

Complex short circuit *MVA* method for power system studies. T.-H. Chen p81
Efficient method for alleviating voltage limit violations using local optimisation. V. Bhanot, H. Gupta and J. Sharma p279

COMMUTATION

High-voltage fuse behaviour with varistor commutation. A. Wolny, A.D. Stokes and B. Kacprzak p33

COMPUTER APPLICATIONS

Application of clustering and factorisation tree techniques for parallel solution of sparse network equations. J. Bialek and D.J. Grey p609
Speedup and synchronisation overhead analysis of Gauss–Seidel type algorithms on a Sequent balance machine. G. Huang and W. Ongsakul p437

COMPUTER SIMULATION

Computational study of very fast transients in GIS with special reference to effects of trapped charge and risetime on overvoltage amplitude. C.Y. Lui and J. Hiley p485

CONDUCTORS AND CONDUCTIVITY

Frequency-dependent impedance of vertical conductors and a multiconductor tower model. A. Ametani, Y. Kasai, J. Sawada, A. Mochizuki and T. Yamada p339
Hybrid AC superconducting current limiter: small-scale experimental model. P. Tixador, J. Lévêque, Y. Brunet and V.D. Pham p117

CONTROL SYSTEMS

Block diagram transfer function model of a generator including damper windings. M. Saidy and F.M. Hughes p599
Design of universal variable-structure controller for dynamic stabilisation of power systems. V.G.D.C. Samarasinghe and N.C. Pahalawaththa p363
Self-tuning load frequency control: Multilevel adaptive approach. A. Rubaai and V. Udo p285
Voltage reactive security analysis in power systems with automatic secondary voltage control. D.S. Popović, M.S. Čalović and V.A. Levi p177

DIGITAL FILTERS

Stochastic analysis in the time domain of very high speed digital distance relays. Part 1: Theory. J.L. Pinto de Sá p161

EDUCATIONAL PROJECTS

Complex short circuit *MVA* method for power system studies. T.-H. Chen p81

ELECTRICAL MACHINES

Three-transfer-function approach for building phenomenological models of synchronous machines. I. Kamwa, P. Viarouge, H. Le-Huy and E.J. Dickinson p89

ENERGY CONVERSION AND STORAGE

Application of wind speed forecasting to the integration of wind energy into a large scale power system. S.J. Watson, L. Landberg and J.A. Halliday p357

GENERATORS

Adaptive load shedding for isolated power systems. J.G. Thompson and B. Fox p491
Analysis of transformer–generator interaction in the harmonic domain. A. Medina and J. Arrillaga p38
Block diagram transfer function model of a generator including damper windings. M. Saidy and F.M. Hughes p599
Design of universal variable-structure controller for dynamic stabilisation of power systems. V.G.D.C. Samarasinghe and N.C. Pahalawaththa p363
Numerical methods for stable implementation of generating-unit deconvolution. S. Fockens, G.L.G. Sleijpen, A.J.M. van Wijk and C. Singh p219

GRAPH THEORY AND TOPOLOGY

Power system network topology error detection. C.N. Lu, J.H. Teng and B.S. Chang p623

HYDROELECTRIC POWER GENERATION

Fuzzy linear programming: an application to hydroelectric generation scheduling. R.-H. Liang and Y.-Y. Hsu p568
Scheduling of hydroelectric generations using artificial neural networks. R.-H. Liang and Y.-Y. Hsu p452
Short-term hydrothermal scheduling. Part I: simulated annealing approach. K.P. Wong and Y.W. Wong p497

INSTRUMENTATION AND MEASURING SCIENCE

A new numeric technique for high-speed evaluation of power system frequency. P.J. Moore, R.D. Carranza and A.T. Johns p529
SVD technique for estimation of harmonic components in a power system: a statistical approach. S. Osowski p473

INSULATORS AND INSULATION

High-voltage insulation co-ordination: timelags of parallel-plate, rod–plane, rod–rod gaps, cap and pin insulators and surge diverter. A.E.D. Heylen, S.P. McMahon, I.R. McLean and D. Dring p397

LIGHTNING AND LIGHTNING PROTECTION

Frequency-dependent impedance of vertical conductors and a multiconductor tower model. A. Ametani, Y. Kasai, J. Sawada, A. Mochizuki and T. Yamada p339
High voltage substation equivalent circuits in the lightning performance estimation. M. Savić and Z. Stojković p99
Tower modelling for lightning surge analysis using EMTP. M.E. Almeida and M.T. Correia de Barros p637

LOAD AND VOLTAGE REGULATION

Asymmetrical three-phase load-flor study based on symmetrical component theory. X.-P. Zhang and H. Chen p248
New robust adaptive load–frequency control with system parametric uncertainties. Y. Wang, R. Zhou and C. Wen p184
Uncertainty considerations in the pool purchase price in the England and Wales electricity supply industry. R.N. Allan and H. Navarro Sanchez p125

LOGIC

Forecasting daily load curves using a hybrid fuzzy–neural approach. D. Srinivasan, A.C. Liew and C.S. Chang p561
Multiobjective generation scheduling using fuzzy optimal search technique. D. Srinivasan, C.S. Chang and A.C. Liew p233

MATHEMATICAL TECHNIQUES

A new numeric technique for high-speed evaluation of power system frequency. P.J. Moore, R.D. Carranza and A.T. Johns p529
A parallel processing algorithm for co-ordination of directional overcurrent relays in interconnected power systems. H.B. Elrefaie, M.R. Irving and S. Zitouni p514
Asymmetrical three-phase load-flor study based on symmetrical component theory. X.-P. Zhang and H. Chen p248
Block diagram transfer function model of a generator including damper windings. M. Saidy and F.M. Hughes p599
Enhanced Newton–Raphson algorithm for normal, controlled and optimal powerflow solutions using column exchange techniques. S. Zhang and M.R. Irving p647
Fuzzy linear programming: an application to hydroelectric generation scheduling. R.-H. Liang and Y.-Y. Hsu p568
Genetic algorithm solution to the economic dispatch problem. A. Bakirtzis, V. Petridis and S. Kazarlis p377
Genetic and genetic/simulated-annealing approaches to economic dispatch. K.P. Wong and Y.W. Wong p507
Integer-linear-programming eigenvector-based approach for multipartitioning power system state-estimation networks. I.O. Habiballah and V.H. Quintana p11
Magnetic field analysis of asymmetrical machines by finite element method. R. Chedid and L.L. Freris p53
Model-based fuzzy control of power system static/dynamic security using the pattern recognition approach. C.S. Chang p270
Neural-network based adaptive single-pole autoreclosure technique for EHV transmission systems. R.K. Aggarwal, A.T. Johns, Y.H. Song, R.W. Dunn and D.S. Fitton p155
Parallel processing of sparse power system equations. T. Berry, A.R. Daniels and R.W. Dunn p68
SVD technique for estimation of harmonic components in a power system: a statistical approach. S. Osowski p473
Speedup and synchronisation overhead analysis of Gauss–Seidel type algorithms on a Sequent balance machine. G. Huang and W. Ongsakul p437
Thermal unit commitment using genetic algorithms. D. Dasgupta and D.R. McGregor p459

NETWORKS

Application of clustering and factorisation tree techniques for parallel solution of sparse network equations. J. Bialek and D.J. Grey p609
Forecasting daily load curves using a hybrid fuzzy–neural approach. D. Srinivasan, A.C. Liew and C.S. Chang p561
Scheduling of hydroelectric generations using artificial neural networks. R.-H. Liang and Y.-Y. Hsu p452

OPTIMISATION

Multiobjective generation scheduling using fuzzy optimal search technique. D. Srinivasan, C.S. Chang and A.C. Liew p233

PICTURE PROCESSING AND PATTERN RECOGNITION

Model-based fuzzy control of power system static/dynamic security using the pattern recognition approach. C.S. Chang p270

POWER ELECTRONICS

Application of GTO voltage-source inverter for tapping HVDC power. Z. Zhao and M.R. Iravani p19

POWER SYSTEM PROTECTION

Adaptive load shedding for isolated power systems. J.G. Thompson and B. Fox p491
Development and implementation of a variable-window algorithm for high-speed and accurate digital distance protection. Y.Q. Xia and K.K. Li p383
Fast identification of symmetrical components by use of a state observer. E. Rosołowski and M. Michalik p617
High-voltage insulation co-ordination: timelags of parallel-plate, rod–plane, rod–rod gaps, cap and pin insulators and surge diverter. A.E.D. Heylen, S.P. McMahon, I.R. McLean and D. Dring p397
Improved techniques for modelling fault arcs on faulted EHV transmission systems. A.T. Johns, R.K. Aggarwal and Y.H. Song p148
Improvement on GGDF for power system security evaluation. Y.-C. Chang, W.-T. Yang and C.-C. Liu p85
Power based algorithm to provide loss of grid protection for embedded generation. M.A. Redfern, Ö. Usta, G. Fielding and E.P. Walker p640
Tower modelling for lightning surge analysis using EMTP. M.E. Almeida and M.T. Correia de Barros p637

POWER SYSTEMS AND PLANT

A new numeric technique for high-speed evaluation of power system frequency. P.J. Moore, R.D. Carranza and A.T. Johns p529
Analysis of electromechanical modes using an artificial neural network. Y.-Y. Hsu, C.-R. Chen and C.-C. Su p198
Application of clustering and factorisation tree techniques for parallel solution of sparse network equations. J. Bialek and D.J. Grey p609
Asymmetrical three-phase load-flor study based on symmetrical component theory. X.-P. Zhang and H. Chen p248
Consideration of dependent outages in security-constrained adequacy evaluation of composite systems. R. Billinton and G. Lian p47
Design of universal variable-structure controller for dynamic stabilisation of power systems. V.G.D.C. Samarasinghe and N.C. Pahalawaththa p363
Equal-area criterion: an extension for multimachine power systems. M.H. Haque p191
Fast harmonic power flow calculation using parallel processing. Z.A. Mariños, J.L.R. Pereira and S. Carneiro, Jr p27
Forecasting daily load curves using a hybrid fuzzy–neural approach. D. Srinivasan, A.C. Liew and C.S. Chang p561
Generalised convertor models for iterative harmonic analysis in power systems. G. Carpinelli, F. Gagliardi, M. Russo and D. Villacci p445
Genetic algorithm solution to the economic dispatch problem. A. Bakirtzis, V. Petridis and S. Kazarlis p377
Integer-linear-programming eigenvector-based approach for multipartitioning power system state-estimation networks. I.O. Habiballah and V.H. Quintana p11
Multiobjective VAR planning using the goal-attainment method. Y.-L. Chen and C.-C. Liu p227
Multiobjective generation scheduling using fuzzy optimal search technique. D. Srinivasan, C.S. Chang and A.C. Liew p233
Multivariable adaptive control of AC–DC systems. K.W.V. To and A.K. David p658
New technique of network partitioning for voltage collapse margin calculations. A.C. Zambroni de Souza and V.H. Quintana p630
Parallel processing of sparse power system equations. T. Berry, A.R. Daniels and R.W. Dunn p68
Power system network topology error detection. C.N. Lu, J.H. Teng and B.S. Chang p623
Power system stabilisation using the dominant subsystem principle. D. Mudrončik and V. Veselý p243
Prediction of customer load point service reliability worth estimates in an electric power system. L. Goel and R. Billinton p390
Predictive assessment of bulk-system-reliability performance indices. R. Billinton and J. Satish p466
Probabilistic iterative harmonic analysis of power systems. P. Caramia, G. Carpinelli, F. Rossi and P. Verde p329
Scheduling of hydroelectric generations using artificial neural networks. R.-H. Liang and Y.-Y. Hsu p452
Short-term hydrothermal scheduling. Part I: simulated annealing approach. K.P. Wong and Y.W. Wong p497
Speedup and synchronisation overhead analysis of Gauss–Seidel type algorithms on a Sequent balance machine. G. Huang and W. Ongsakul p437
Voltage reactive security analysis in power systems with automatic secondary voltage control. D.S. Popović, M.S. Čalović and V.A. Levi p177
Voltage stability as affected by discrete changes in the topology of power networks. V.H. Quintana and L. Vargas p346
Voltage stability assessment of isolated power systems with power electronic converters. K.S. Smith and L. Ran p310
Voltage stability indicator for identification of the weakest bus/area in power systems. Y.-Y. Hong and C.-H. Gau p305

POWER TRANSMISSION AND DISTRIBUTION

Benefits of wheeling economy energy in Canada: quantification and sensitivity analysis. E. Vaahedi, R.J. Poirier, C. Necsulescu and A.N. Karas p585
Economic emission load dispatch with line flow constraints using a classical technique. J. Nanda, L. Hari and M.L. Kothari p1
Effect of the battery energy storage system on the time-of-use rates industrial customers. T.-Y. Lee and N. Chen p521
Electricity restriction costs. A.G. Massaud, M.Th. Schilling and J.P. Hernandez p299
Intelligent operation of distribution network. D. Srinivasan, A.C. Liew, C.S. Chang and J.S.P. Chen p106
Interactive fuzzy satisfying method for optimal multi-objective VAR planning in power systems. Y.-L. Chen and C.-C. Liu p554
Non-unit protection technique for EHV transmission systems based on fault-generated noise. Part 1: Signal measurement. A.T. Johns, R.K. Aggarwal and Z.Q. Bo p133
Non-unit protection technique for EHV transmission systems based on fault-generated noise. Part 2: Signal Processing. R.K. Aggarwal, A.T. Johns and Z.Q. Bo p141
Novel method for solving radial distribution networks. D. Das, H.S. Nagi and D.P. Kothari p291
Probabilistic approach to transient stability evaluation. E. Chiodo, F. Gagliardi and D. Lauria p537
Real-time fault detection and classification in power systems using microprocessors. J. Barros and J.M. Drake p315
Thermal unit commitment using genetic algorithms. D. Dasgupta and D.R. McGregor p459
Transient stability evaluation of multimachine power systems: a probabilistic approach based upon the extended equal area criterion. E. Chiodo and D. Lauria p545

POWER UTILISATION AND INDUSTRIAL APPLICATIONS

Effect of the battery energy storage system on the time-of-use rates industrial customers. T.-Y. Lee and N. Chen p521

PROCESS CONTROL

Enhanced Newton–Raphson algorithm for normal, controlled and optimal powerflow solutions using column exchange techniques. S. Zhang and M.R. Irving p647

RADAR AND RADIONAVIGATION

Short-term hydrothermal scheduling. Part II: Parallel simulated annealing approach. K.P. Wong and Y.W. Wong p502

RELAYS

A parallel processing algorithm for co-ordination of directional overcurrent relays in interconnected power systems. H.B. Elrefaie, M.R. Irving and S. Zitouni p514
Stochastic analysis in the time domain of very high speed digital distance relays. Part 2: Illustrations. J.L. Pinto de Sá p169

RELIABILITY

Consideration of dependent outages in security-constrained adequacy evaluation of composite systems. R. Billinton and G. Lian p47
Inclusion of weather effects in composite system reliability evaluation using sequential simulation. M.R. Bhuiyan and R.N. Allan p575
Prediction of customer load point service reliability worth estimates in an electric power system. L. Goel and R. Billinton p390
Predictive assessment of bulk-system-reliability performance indices. R. Billinton and J. Satish p466
Probability distribution approach to describe customer costs due to electric supply interruptions. R. Billinton, E. Chan and G. Wacker p594

SIMULATION

Brushless exciter model. S.M.L. Kabir and R. Shuttleworth p61
Differential transmission of evolution measures in SCADA systems. J. Luque, J.I. Escudero and I. Gómez p253
Eddy current add-on for frequency dependent representation of winding losses in transformer models used in computing electromagnetic transients. A. Semlyen and F. De León p209
Inclusion of weather effects in composite system reliability evaluation using sequential simulation. M.R. Bhuiyan and R.N. Allan p575
Modelling risk in energy contracts with investor owned generation. A.K. David p75
Probabilistic iterative harmonic analysis of power systems. P. Caramia, G. Carpinelli, F. Rossi and P. Verde p329
Reliability assessment of composite hydrothermal generation and transmission systems using sequential simulation. J.R. Ubeda and R.N. Allan p257

STABILITY

Global robust adaptive control of power systems. H. Jiang, J.F. Dorsey, Z. Qu, J. Bond and J.M. McCalley p429
Probabilistic approach to transient stability evaluation. E. Chiodo, F. Gagliardi and D. Lauria p537
Transient stability evaluation of multimachine power systems: a probabilistic approach based upon the extended equal area criterion. E. Chiodo and D. Lauria p545

SYSTEM PROTECTION

New approach to distance protection for resistive double-phase to earth faults using adaptive techniques. P.J. Moore, R.K. Aggarwal, H. Jiang and A.T. Johns p369

THYRISTORS

Application of GTO voltage-source inverter for tapping HVDC power. Z. Zhao and M.R. Iravani p19

TRANSFORMERS

Analysis of transformer–generator interaction in the harmonic domain. A. Medina and J. Arrillaga p38
Eddy current add-on for frequency dependent representation of winding losses in transformer models used in computing electromagnetic transients. A. Semlyen and F. De León p209
Integrated digital power transformer protection. B. Grčar and D. Dolinar p323
Studies on impulse behaviour of a transformer winding with simulated faults by analogue modelling. C.K. Roy and J.R. Biswas p401
Substation power-transformer-loading analysis and computer simulations of loadability under realistic operating conditions. C.C. Wong p413

TRANSMISSION LINES

Maximum efficiency of interconnected transmission lines. T.M. Papazoglou p353